

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
23 October 2003 (23.10.2003)

PCT

(10) International Publication Number
WO 03/088161 A1

(51) International Patent Classification⁷: **G07F 17/00**

(74) Agents: **DECARLO, James et al.**; Stroock & Stroock & Lavan, LLP, 180 Maiden Lane, New York, NY 10038 (US).

(21) International Application Number: **PCT/US03/10481**

(22) International Filing Date: **4 April 2003 (04.04.2003)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:
60/370,928 **4 April 2002 (04.04.2002)** **US**

(71) Applicant (for all designated States except US): **YAHOO! INC.** [US/US]; 701 First Avenue, Sunnyvale, CA 94089 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and


(75) Inventors/Applicants (for US only): **JOKIPPI, Eron** [US/US]; 1063 Morse Avenue, Sunnyvale, CA 94087 (US). **WALKER, Chad, Lee** [US/US]; 707 Continental Circle, # 1639, Mountain View, CA 94040 (US). **PILIP, Michael** [IL/US]; 655 South Fair Oaks Avenue, P310, Sunnyvale CA 94086 (US).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **ONLINE LEAGUE AND TOURNAMENT SYSTEM**



(57) Abstract: An online gaming system (100) operative in a client-server environment is provided in which users (210, 210') are provided comprehensive tools and functionalities for creating and managing online gaming leagues in which a group of member users can play the online games with and against one another in a scheduled and organized fashion. Moreover, said online gaming system enables users to create tournaments in which member users compete against one another in various tournament schemes, and records game results so as to rank and rate players relative to one another.

WO 03/088161 A1

**METHOD AND SYSTEM FOR PROVIDING ACCESS TO AND
ADMINISTERING ONLINE GAMING LEAGUES AND TOURNAMENTS**

CROSS-REFERENCE TO RELATED APPLICATIONS

[001] This application claims priority to co-pending U.S. Provisional Application Serial No. 60/370,928, filed April 4, 2002, the entire disclosure of which is incorporated herein by reference.

FIELD OF THE INVENTION

[002] The present invention is directed to networked gaming and, more particularly, to providing a method and system for administering tournament and league play as part of integral to such network gaming.

BACKGROUND OF THE INVENTION

[003] Present systems providing access to online gaming environments fail to provide comprehensive tools for creating and maintaining public and private leagues and creating and administering tournaments. Thus, present systems and methods do not permit users to create leagues in which the users (i.e., the members of the league) are in control over management, membership, and direction of the league. Moreover, present system and methods do not enable users to create customized tournaments or permit users to attain desirable ratings or rankings based on game play.

SUMMARY OF THE INVENTION

[004] The exemplary embodiments of the invention described herein are generally related to online gaming. The term "online gaming" refers to games such as chess, checkers, poker, blackjack, and the like that can be played via a communications network such as the Internet. It should be understood that while the exemplary embodiments described herein are discussed in relation generally to the Internet, computer games accessible to user via any communications network now known or heretofore developed is within the scope of the present invention.

[005] By way of example only, the Yahoo! Games section of the Yahoo! Web site provides users with access to a multitude of gaming choices, including but not limited to card games (e.g., poker), arcade style games (e.g., electronic pool), board and tile games (e.g., chess, checkers, or backgammon), word games (e.g., crosswords), and countless
5 others. Users can access and play the games on any computer having access to the Internet via a modem or broadband connection.

[006] The method and system of the present invention in an exemplary embodiment permits users to create and manage leagues in which a group of member users can play the online games with and against one another in a scheduled and organized
10 fashion. Moreover, a further feature of said exemplary embodiment enables the league administrator (e.g., the user that created the league or a user designated by league members) to create a tournament in which member users compete against one another in various tournament schemes. For instance, a single elimination checkers tournament can be created with the winner being awarded a prize. The prize may simply be an image of a
15 trophy in the user's profile, or may be any other form of prize either in tangible or intangible form, as a matter of design choice.

[007] In an exemplary embodiment, the method and system of the present invention operates in a server-client environment across a public communications network, such as the Internet. The server side of the server-client environment preferably
20 comprises a web server for providing access to web pages forming the graphical user interface of the online gaming system. Through the web server, the user interacts with various components of the online gaming system, including but not limited to choosing games to play, creating and managing leagues and tournaments, and interacting with other users of the online gaming system. The server side of the server-client environment also
25 preferably comprises a game room server for providing the graphical user interface ("GUI") and functionality that controls the online games. Further, the server side of the server-client environment preferably comprises a league administration server for

providing the functionality enabling users to create and manage leagues and tournaments, and a league database for storing user, league and tournament information, such as for example user ratings, league standings, and tournament results.

5 [008] In an alternate exemplary embodiment, the server side of the client-server environment further comprises a ratings server that tracks users' usage of the online gaming system and rates users according to several categories, including but not limited to win/loss ratio, subjective ratings of fellow users, timeliness, and the like.

10 [009] The client-side preferably comprises a computing device with connectivity to the Internet or other communications network. In an exemplary embodiment, the online gaming system pushes a game client to the user's computing device via the network to provide the functionality to play the selected online games. In general, the game client is an application comprising at least part of the programming, graphical images, sounds, and other components necessary for an online game to operate. In an exemplary embodiment, the game client is a relatively small file and the majority of the game
15 processing is performed by the game server of the online gaming system to decrease the time needed to download the game client. However, persons of skill will recognize that the game client can be a file of any size comprising as little or as much of the programming, graphical images, sounds, and other components necessary to provide the user interface and functionality of the online game.

20 [0010] Through the game server, two or more users, depending on the particular game being played, can play the selected game against one another in "real-time". As used herein, the term "real-time" generally refers to actions or events that occur almost instantaneously or without appreciable delay. In other words, for example, if user 1 moves a chess piece on her computing device, user 2 sees an updated chessboard almost
25 immediately. How close the gaming environment actually comes to achieving "real-time" depends mostly on the speed of the users' respective computing devices, the speed of the network connection and modem, the amount of traffic load on the online gaming

system and other variables known to cause delay in the transmission of data via the Internet or other networks.

[0011] Other objects and features of the present invention will become apparent from the following detailed description, considered in conjunction with the accompanying system schematics and flow diagrams. It is understood, however, that the drawings, which are not to scale, are designed solely for the purpose of illustration and not as a definition of the limits of the invention, for which reference should be made to the attended claims.

BRIEF DESCRIPTION OF THE DRAWINGS

[0012] In the drawing figures, which are merely illustrative, and wherein like reference numerals depict like elements throughout the several views:

[0013] FIG. 1 is a schematic diagram of an overview of an exemplary embodiment of the system architecture of an online gaming system in accordance with the present invention;

[0014] FIG. 2 is an exemplary interface for permitting user to create an online gaming league;

[0015] FIG. 3 is a further exemplary interface for permitting user to create an online gaming league;

[0016] FIG. 4 is an exemplary interface for managing an online gaming league;

[0017] FIG. 5 is an exemplary interface for creating online gaming tournament;

[0018] FIG. 6 is an exemplary gaming interface; and

[0019] FIG. 7 is an exemplary interface of a game room in which users can join or watch online games.

DETAILED DESCRIPTION OF THE EXEMPLARY EMBODIMENTS

[0020] There will now be shown and described in connection with the attached drawing figures several exemplary embodiments of a system and method of providing access to and administering online gaming leagues and tournaments.

[0021] In an exemplary embodiment, as shown in FIGS. 1 through 7, an online gaming system 100 for playing online computer games generally comprises a league engine 325 operative on a league administration server 320 for permitting users of the online gaming system 100 to create and manage an online gaming league, the league engine 325
5 providing access to league information to members of the league; a game engine 335 operative on a game room server 330 for controlling play of the online games; and a tournament engine 345 operative on a tournament server 340 enabling league members to create and participate in online gaming tournaments, the tournament engine 345 recording results of online games played by members and managing progress of the online
10 gaming tournament. The tournament system preferably further comprises a ratings engine 355 for ranking the skill level of league members by calculating a rating for each league member.

[0022] According to an exemplary embodiment, a game room generally refers to the game application triggered when a user of the online gaming system desires to play a
15 particular online game. The game room preferably features a graphical interface, as shown and described below in connection with FIG. 6, in order to facilitate game play. A user can create a game room by selecting an online game type and entering certain customized information about the game room, such as by way of example a game room name, game room description, and whether the game room will host ladder ranking games. The user
20 may also set whether the room will be a private room available to only league members or a public room open to all members of the online gaming system. The game room or table type determines how easy it is for other players to get to your table. There are preferably at least three table types: public, private, and protected. The host of the table chooses the table type. Public tables or game rooms are available to all members of the online gaming
25 system to join or watch. Protected tables or game rooms are only available to invited players, but any member of the online gaming system can watch. Private tables or game rooms are only available to invited players.

[0023] In an exemplary embodiment, game rooms permit users to engage in voice chat or traditional messaging. Players can either chat in a public chat area in which the chat may be seen by all users or players can send a private message to a fellow player. To chat publicly, a user may utilize a chat area, as discussed below, in the game room to send the message.

[0024] Game rooms are preferably loosely organized by skill level. Exemplary skill levels range from beginner, intermediate, and advanced. Social rooms are for players who prefer a more casual experience. Ladder rooms are for people who want to play on our ladder system. Users may choose to watch or play games in any level.

[0025] System Architecture

[0026] With reference to FIG. 1, there is shown an exemplary embodiment of a online gaming system 100 operating in a client-server environment in accordance with the present invention. The client-server environment comprises a client-side 200 and a server-side 300.

[0027] The online gaming system 100 generally comprises one or more servers programmed and equipped to process data received from a plurality of user computing devices 210. In the exemplary embodiment shown in FIG. 1, the online gaming system 100 comprises a web server 310 for providing web pages to the viewers and players, a league administration server 320 for enabling the creation and management of leagues (both private and public) for playing online games, a game room server 330 for creating and monitoring/tracking game rooms and maintaining the game state, including tracking players in the room, what tables are open/closed and making the progress and results available to the systems and players/viewers, and a tournament server 340 for providing tournament functionality. The online gaming system 100 may further comprise a ratings server 350 for tracking the results of online games played by or between users and assigning ratings or rankings to the players.

[0028] It will be understood that each of the servers 310, 320, 330, 340, and 350 of the server-side 300 of the online gaming system 100 are each communicatively connected via a local or wide area network 305 ("LAN" or "WAN"). In turn, server-side 300 of the online gaming system 100 is in communicative connection with the client-side 200 via network 50.

[0029] Each server is preferably coupled (e.g., via a TCP/IP socket) to an electronic storage device, such as league database 360, containing a database of relevant information. Such information may include player information (for each player (as identified by player ID): username, password, player ID, contact information, league(s) Ids, tournament Ids, play history, and other player specific information used in allowing and tracking user play), game information (for each game (as identified by game ID): type of game, players in game, progress of game, results and the like), tournament information (for each tournament (as identified by tournament ID): player creating the tournament, indication (e.g., flag) of whether the tournament is open to only members of the creating player's league(s), number of players, tournament schedule, games associated with the tournament (as identified by game ID), type of game/tournament, players, results of games, results of tournament, and the like), league information (for each league (as identified by league ID): the players (as identified by ID) in the league, standings or ratings of the players, games/tournaments history and/or schedule and the like) and various other information apparent from the following description. For example, the online gaming system 100 may further comprise league database 360, as shown in FIG. 1, to store and manage the above-referenced information. As will be appreciated by those skilled in the art, such information may be stored in any number of related databases and/or tables.

[0030] One skilled in the art will recognize that the user computing devices may be any type of computer capable of transmitting and receiving data via network 50 to the server-side 300 of the online gaming system 100. By way of example, computing devices

210 may be a personal desktop, laptop, or tablet computer, a handheld computing device (e.g., a PDA or pocket pc), a mobile telephone, or blackberry to name a few.

[0031] Operation of the Online Gaming System

[0032] In connection with FIGS. 2-10, they will shown and described an
5 exemplary embodiment of use interfaces through which one or more users may interact with the online gaming system 100 described herein. For illustrative purposes only, users of the online gaming system 100 will be referred to herein in two general categories: league administrators who are users desiring to create and administer a league for playing
10 online games, and league participants or league members who are users who are members of one or more leagues created with the online gaming system 100.

[0033] The online gaming system 100 enables league administrators to create leagues using available league management tools made available to users via the league engine 325 operative on the league administration servers 320 of the online gaming system 100 in combination with the web servers 310, which serve graphical interfaces via
15 network 50 to users. The league engine 325 is preferably programming coded in any available programming language, such as Java, C++, Visual Basic, or the like, to provide the functionality describe herein. In general, the league engine 325 preferably enables league administrators to create and manage private or public games rooms, create and manage ladders and ratings of league members, create and manage tournaments, and
20 control player access. Persons of skill will recognize that additional features can be programmed into the league engine 325 to enhance league creation and management.

[0034] As shown in FIG. 2, a league administrator can start a league by accessing a new league user interface 250 on the online gaming system 100 website via the user's computer device 210. According to an exemplary embodiment, the user can enter a
25 league name and a league url address through which users of the league can communicate, and a description of the league in input boxes 252, 254, 256. Further, as shown in FIG. 3, the league administrator creates a profile using interface 250' including a profile name 258,

an e-mail address 260 and decides whether or not the league will be listed in a league directory using radio buttons 262, whether the league will be open or restricted using radio buttons 264, and may place a message to league members using input box 266. As shown in FIG. 4, the online gaming system 100 provides after set-up of a league, a league homepage in which various settings applicable to the league may be set. As further shown in the user interface 280 of FIG. 4, a number of options may be linked to via the league homepage using toolbar interface 282. An exemplary listing to the tools available to a league administrator is also shown in FIG. 4. For example, messages may be transmitted to other league members, various game rooms can be accessed via the league homepage, tournaments can be created and accessed, a tournament ladder may be viewed, league setting may be modified, a log of administrative actions may be viewed and information pertaining to the various members of the league may be accessed. The exemplary interface 280 of FIG. 4 also preferably includes an information window 284 in which league information, such as the league description, upcoming tournaments, or game room information, may be shown. The exemplary interface 280 of FIG. 4 also preferably includes a membership information toolbar in which members can edit or view their membership information, view general information regarding league membership or change their subscription status.

[0035] The online gaming system 100 also preferably enables league administrators to create tournaments in which several members of the league can participate in a selected game. A tournament engine 345 operative on the tournament servers 340 of the online gaming system 100 provides the functionality to create and manage tournaments. According to an exemplary embodiment, the tournament engine 345 enables users to set tournament names, select a particular game room at which the tournament will be played, describe the tournament, establish game settings, such as the allotted time per move, set the pairing system (described further below), set signup date and times, set the number of participants, set the date and time that the tournament starts, set the time per round, and

select whether the tournament will be private or open to public users. Persons of skill will recognize that additional features can be programmed into the tournament engine 345 to enhance tournament creation and operation.

[0036] By way of example, FIG. 5 depicts an exemplary embodiment of an interface 400, permitting a user to create a tournament. As shown in the user interface 400 of FIG. 5, the league administrator can name the tournament using input box 402. the particular game room where the tournament is going to be played is selected beforehand as shown by reference numeral 404 using the league information window 284. The league administrator may also customize settings for the tournament games such as the time allowed to move using input box 406, the nature of the tournament (e.g., whether the tournament is single elimination, double elimination or some other form of tournament structure) using drop down menu 408, the date and time of the sign-up using selection boxes 410, the number of participants using selection boxes 412, the date and time of the start of the tournament using selection boxes 414, and the allotted time for each round using selection boxes 416, as shown in FIG. 5. Check box 418 permits the user to specify whether the tournament will be private or public (i.e., open to non-league members).

[0037] The tournament engine 345 preferably enables at least two types of tournament pairing systems. In one exemplary embodiment, the tournament engine 345 enables manual pairings in which the league administrator manually assigns game pairings using a tournament structure interface. In another exemplary embodiment, the tournament engine 345 automatically assigns pairings. The automatic pairing may be accomplished using a randomizer in which league participants are randomly paired, or pairing may be accomplished using the relative rankings or ratings of the league participants, or a combination of the two.

[0038] As described above, the tournament engine 345 permits the league administrator to customize the length of each round of a tournament. Round intervals are

preferably considered complete when all of the scheduled games within a round are completed or a preset tie for each round has expired. In instances where games are unfinished by the allotted round interval time, winners may be chosen by selecting the user that used the least amount of time or by determining who was leading the game at the point time expired, as a matter of design choice.

[0039] As discussed in general above, the tournament engine 345 monitors online games being played on the online gaming system 100 to record results and manage the tournament structure. The tournament engine 345 preferably provides multiple types of tournament structures.

[0040] In one exemplary tournament structure, the tournament engine 345 provides automatic pairing and reporting of gaming results, as describe above. For instance, in a single elimination tournament, all of the pairing and the wins/losses are automatically reported. If a user wins a game, the winner is automatically seeded to the next round to play the next opponent. If there are openings in the tournament brackets, certain players receive a "bye," meaning they have no game in that round.

[0041] In another exemplary embodiment, a tournament may be created wherein players are invited to participate in each round. According to this exemplary embodiment, at the start of a new round, players are automatically invited to the proper game table with a message indicated the invite to the game table. By responding to the message, players will automatically be seated at the table with the scheduled opponent. Games played at the invited tables are preferably reported to the standings system to enable the tournament engine 345 to monitor progress of the tournament. Once a game is over, players may exit that game table and wait for a new table invite in the next round.

[0042] Preferably, the tournament engine 345 also tracks forfeits. Thus, if an opponent is a no-show or if the opponent fails to respond after a certain time, the tournament engine 345 will record a victory for the player present at the game table.

[0043] Based on the results of a tournament, the tournament engine 345 can award trophies that can be seen in the player's profile page.

[0044] Online Game Generation and Play

[0045] According to an exemplary embodiment, a game client 215 is downloaded
5 to the computing devices 210 of the users during registration of the user with the online gaming system 100. The game client 215, which as described above is preferably a relatively small software application such as an applet, enables the user's computing device 210 to communicate with the game engine 335 operative on the server-side 300 to enable play of selected online games. FIG. 6 depicts an exemplary online game interface 600
10 generated by the game engine 335 and displayed on a display of the user's computing device 210. In the exemplary embodiment shown in FIG. 6, the game interface 600 preferably comprises a toolbar 610 for navigating game functions. For example, buttons may be provided to start and end games and to set certain game parameters. The game interface 600 may also comprise a chat interface 620 or an interface for voice messaging
15 625. Further, the game interface 600 comprises a graphical display 630 of the game table – in the example shown in FIG. 6 a pool table.

[0046] As further shown in FIG. 7, a game room interface 700 is provided wherein users can view ongoing or open online games. A game table information window 720 lists current game tables so that users can determine whether there are any game tables
20 that they can join or whether any games that might be interesting to view are being played. The game table information window also preferably depicts each player's rating using a color code. By way of example, this permits users to find evenly matched players to engage in a game or enables user to locate games against highly rated players that may be of interest. The game room interface also preferably includes a toolbar 710 to enable a
25 user to create his/her own table or to initiate play. A chat interface 730 is also preferably included. Further, a player-listing window 740 lists all players in the game room, along with their respective ratings and game table location.

[0047] In operation, once a league and tournament are created, the system 100 preferably marshals players within the league to the proper game room where selected online games may be played. The system 100 also preferably monitors the progress of all of the online games within each tournament, tallies the results and determines the winner(s). The tournament server 340 and game room server 330 communicate during the process via a TCP/IP connection, for example. In general, the tournament server 340 determines that a game is to take place between certain players as part of the tournament and communicates the need to create the game to the game room server 330; the game room server 330 creates a game room, such as game interface 600, for the particular players. In certain embodiments, the game room (or other) server generates a message and sends it to the appropriate users' computers 210 on which game client 215 software resides. In other embodiments, the game room server 330 creates game rooms dynamically, in response to a player request (e.g., clicking a link or button). In such embodiments, the system 100 first determines whether or not the request room is valid (e.g., by comparing player, level of service, type of game, tournament, league etc.). In the event the game room is valid, the game server 330 creates the game, storing the parameters in the database and generates the graphical display for the player(s), and the players are permitted to connect to the game room.

[0048] The game engine 335, and in an exemplary embodiment the game client 215, provides the programming to drive game play. For example, with reference to FIG. 6, the game engine 335 and game client 215 receive user inputs from the user's computer 210 indicating that the cue stick 650 is moved to a certain location relative to the cue ball 655 to aim the cue ball in a desired direction. The game engine 335 upon receipt of such input data generates a graphical representation of the user input. The game engine 335 also tracks other attributes of the gaming environment such as, in the example of FIG. 6, which pool balls have been pocketed and by which player.

[0049] As discussed above, the online gaming system 100 may also comprise a ratings server 350 operable with a ratings engine 355 to rate and rank users according to certain criteria.

[0050] In one exemplary embodiment, the ratings engine 355 ranks league members at least based in part on the result of the online game and the difference between the rating for each league member participating in the online game. In another exemplary embodiment, the ratings engine 355 rates players according to known and published game ratings standards, such as the ratings systems of the U.S. Chess Federation (USCF) or the First Internet Backgammon Server (FIBS) to name a few.

[0051] In yet another alternate embodiment, the ratings engine 355 ranks league members according to a ladder system. In such embodiments, the ratings engine 355 ranks players according to rungs on a ladder. In other words, if there are ten ladder rungs, the higher the rung the more wins a player has against competition. Thus, winning an online game against a higher ranked league member causes the player to move up a rung, and losing an online game against a lower league member causes the player to move down a rung. In one form of the ladder ratings system, members must defend their rung by playing lower ranked league members at least a preset number of times in a given time period. Further, in another form of the ladder ratings system, if a lower ranked player wins an online game against a higher ranked player, the lower ranked player moves up half the number of rungs between the rung of the lower ranked player and the rung of the higher ranked player, and the higher ranked player moves down at least one rung. Thus, if the lower player is ranked 30 of 100 and the higher player is ranked 10 of 100, the lower player will be moved up 10 rungs ($1/2$ of 30 minus 10) to rung 20 and the higher ranked player will be moved down to rung 11. The player formally at rung 11 is automatically moved up to rung 10 to take the other player's place.

[0052] While the invention has been described in connection with exemplary embodiments, it will be understood that modifications thereof within the principles

outlined above will be evident to those skilled in the art and thus, the invention is not limited to the exemplary embodiments but is intended to encompass such modifications.

CLAIMS

WHAT IS CLAIMED IS:

1. An tournament system for playing online computer games, the tournament system comprising:

a league engine for permitting users of an online gaming system to create and manage an online gaming league, the league engine providing access to league information to members of the league;

a game engine for controlling play of the online games; and

a tournament engine enabling league members to create and participate in online gaming tournaments, the tournament engine recording results of online games played by members and managing progress of the online gaming tournament.

2. The tournament system of claim 1, further comprising a ratings engine for ranking the skill level of league members by calculating a rating for each league member.

3. The tournament system of claim 2, wherein the ratings engine ranks league members at least based in part on the result of the online game and the difference between the rating for each league member participating in the online game.

4. The tournament system of claim 2, wherein the ratings engine ranks league members according to a ladder system in which league members are ranked according to rungs on a ladder and wherein winning an online game against a higher ranked league member move up a rung, and league members losing an online game against a lower league member move down a rung.

5. The tournament system of claim 4 wherein league members must defend their rung by playing lower ranked league members at least a preset number of times in a given time period.

1 6. The tournament system of claim 4, wherein if a lower ranked player wins
2 an online game against a higher ranked player, the lower ranked player moves up half the
3 number of rungs between the rung of the lower ranked player and the rung of the higher
4 ranked player, and the higher ranked player moves down at least one rung.

1 7. The tournament server of claim 1, wherein the league engine provides a
2 plurality of league management tools.

1 8. The tournament server of claim 7, wherein the league management tools
2 include a private game room creation tool.

1 9. The tournament server of claim 7, wherein the league management tools
2 include a ratings management tool.

1 10. The tournament server of claim 1, wherein the tournament engine enables
2 creation of a tournament having a single elimination format.

1 11. The tournament server of claim 1, wherein the tournament engine enables
2 creating of a tournament having a double elimination format.

1 12. The tournament server of claim 1, wherein tournament pairings are
2 automatically assigned by the tournament engine.

1 13. The tournament server of claim 1, wherein tournament pairings are
2 automatically assigned by the league member designated as a league administrator.

1 14. A method of administering an online gaming tournament in which a
2 plurality of users access an online gaming system via a network; the method comprising:
3 providing access to a gaming environment via a communications network,
4 wherein the gaming environment comprises a plurality of user created game rooms for
5 playing selected online games, the online gaming system providing the functionality and

6 user interface to enable game play;
7 enabling a user of the online gaming system to create a league in which at
8 least a portion of said plurality of users are members of the league; and
9 enabling members of the league to create an online gaming tournament in
10 which members play a selected online game against one another in a tournament format,
11 the members of the league customizing the tournament format as desired.

1 15. The method of claim 14 further comprising recording results of the online
2 games played during the online gaming tournament so as to manage the advance of
3 winning players through the tournament format.

1 16. The method of claim 14 further comprising rating players based on the
2 result of games played during the online gaming tournament.

1 17. The method of claim 16 wherein players are rated at least based in part on
2 a difference in a rating for each respective player participating in the online game.

1 18. The method of claim 14 wherein players are ranked according to a ladder
2 system in which players are ranked according to rungs on a ladder and wherein winning
3 an online game against a higher ranked player causes the player to move up a rung, and
4 players losing an online game against a lower ranked player causes the losing player to
5 move down a rung.

1 19. The method of claim 18 wherein players must defend their rung by
2 playing lower ranked players at least a preset number of times in a given time period.

1 20. The method of claim 18 wherein if a lower ranked player wins an online
2 game against a higher ranked player, the lower ranked player moves up half the number
3 of rungs between the rung of the lower ranked player and the rung of the higher ranked
4 player, and the higher ranked player moves down at least one rung.

FIG. 1




FIG. 2

250

Yahoo! Games - Microsoft Internet Explorer

http://leagues.games.yahoo.com/leagues/new

type search here

Games Home - Yahoo! - Help

YAHOO! GAMES

Welcome, repaw17! edit

Yahoo! Games Leagues

My Leagues

- Official All-Stars League
- Create New League

251

254

256

Create a League

Please fill out the following fields to create a new League.

Required fields

Name your League

This name will appear on your League page and in search results. (18 characters maximum)

Example: The Coolest League

Enter your League address

This address will be used for your League web site. (40 characters maximum, no spaces or special characters allowed)

Example: CoolestLeague or Coolest_League

Describe your Group

This description will appear at the top of your League page. You may edit this later in your League Settings. (2000 characters maximum)

Example: "The coolest Games League on the Web!"

FIG. 3

250' →

Yahoo! Games - Microsoft Internet Explorer

http://leagues.games.yahoo.com/leagues/new

Search type search here

Select your profile & email

You can only have one profile associated with each league of which you are a member. The profile will be used when other members want to learn more about you, or communicate with you via Yahoo! Messenger. The email address will be used to post messages.

258

260

☒ Show your email address to members

Select directory listing type

Your League can be listed in our directory, making it accessible to other Yahoo! Games Leagues members. If you want your League to be private, select unlisted.

262

☐ Listed - Display in our directory.
☐ Unlisted - Do not display in our directory.

Select membership type

You can allow anyone to join your League, or you can approve all members. You may edit this later in your League Settings.

264

☐ Open - Members can join freely.
☐ Restricted - You approve all members.

266


Please supply the first message for your new league.

Subject:

Message:

FIG. 4

280



282

286

284

FIG. 5

400

Yahoo! Games - Microsoft Internet Explorer

Address: http://league.games.yahoo.com/league/createsroom-eskew_league_1047571104_1

Search: type search here

Go: Yahoo! Games

Pool Main - Games Home - Yahoo! - Help

402

404

406

408

410

412

414

416

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

619

620

621

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646

647

648

649

650

651

652

653

654

655

656

657

658

659

660

661

662

663

664

665

666

667

668

669

670

671

672

673

674

675

676

677

678

679

680

681

682

683

684

685

686

687

688

689

690

691

692

693

694

695

696

697

698

699

700

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

716

717

718

719

720

721

722

723

724

725

726

727

728

729

730

731

732

733

734

735

736

737

738

739

740

741

742

743

744

745

746

747

748

749

750

751

752

753

754

755

756

757

758

759

760

761

762

763

764

765

766

767

768

769

770

771

772

773

774

775

776

777

778

779

780

781

782

783

784

785

786

787

788

789

790

791

792

793

794

795

796

797

798

799

800

801

802

803

804

805

806

807

808

809

810

811

812

813

814

815

816

817

818

819

820

821

822

823

824

825

826

827

828

829

830

831

832

833

834

835

836

837

838

839

840

841

842

843

844

845

846

847

848

849

850

851

852

853

854

855

856

857

858

859

860

861

862

863

864

865

866

867

868

869

870

871

872

873

874

875

876

877

878

879

880

881

882

883

884

885

886

887

888

889

890

891

892

893

894

895

896

897

898

899

900

901

902

903

904

905

906

907

908

909

910

911

912

913

914

915

916

917

918

919

920

921

922

923

924

925

926

927

928

929

930

931

932

933

934

935

936

937

938

939

940

941

942

943

944

945

946

947

948

949

950

951

952

953

954

955

956

957

958

959

960

961

962

963

964

965

966

967

968

969

970

971

972

973

974

975

976

977

978

979

980

981

982

983

984

985

986

987

988

989

990

991

992

993

994

995

996

997

998

999

1000

1001

1002

1003

1004

1005

1006

1007

1008

1009

1010

1011

1012

1013

1014

1015

1016

1017

1018

1019

1020

1021

1022

1023

1024

1025

1026

1027

1028

1029

1030

1031

1032

1033

1034

1035

1036

1037

1038

1039

1040

1041

1042

1043

1044

1045

1046

1047

1048

1049

1050

1051

1052

1053

1054

1055

1056

1057

1058

1059

1060

1061

1062

1063

1064

1065

1066

1067

1068

1069

1070

1071

1072

1073

1074

1075

1076

1077

1078

1079

1080

1081

1082

1083

1084

1085

1086

1087

1088

1089

1090

1091

1092

1093

1094

1095

1096

1097

1098

1099

1100

1101

1102

1103

1104

1105

1106

1107

1108

1109

1110

1111

1112

1113

1114

1115

1116

1117

1118

1119

1120

1121

1122

1123

1124

1125

1126

1127

1128

1129

1130

1131

1132

1133

1134

1135

1136

1137

1138

1139

1140

1141

1142

1143

1144

1145

1146

1147

1148

1149

1150

1151

1152

1153

1154

1155

1156

1157

1158

1159

1160

1161

1162

1163

1164

1165

1166

1167

1168

1169

1170

1171

1172

1173

1174

1175

1176

1177

1178

1179

1180

1181

1182

1183

1184

1185

1186

1187

1188

1189

1190

1191

1192

1193

1194

1195

1196

1197

1198

1199

1200

1201

1202

1203

1204

1205

1206

1207

1208

1209

1210

1211

1212

1213

1214

1215

1216

1217

1218

1219

1220

1221

1222

1223

1224

1225

1226

1227

1228

1229

1230

1231

1232

1233

1234

1235

1236

1237

1238

1239

1240

1241

1242

1243

1244

1245

1246

1247

1248

1249

1250

1251

1252

1253

1254

1255

1256

1257

1258

1259

1260

1261

1262

1263

1264

1265

1266

1267

1268

1269

1270

1271

1272

1273

1274

1275

1276

1277

1278

1279

1280

1281

1282

1283

1284

1285

1286

1287

1288

1289

1290

1291

1292

1293

1294

1295

1296

1297

1298

1299

1300

1301

1302

1303

1304

1305

1306

1307

1308

1309

1310

1311

1312

1313

1314

1315

1316

1317

1318

1319

1320

1321

1322

1323

1324

1325

1326

1327

1328

1329

1330

1331

1332

1333

1334

1335

1336

1337

1338

1339

1340

1341

1342

1343

1344

1345

1346

1347

1348

1349

1350

1351

1352

1353

1354

1355

1356

1357

1358

1359

1360

1361

1362

1363

1364

1365

1366

1367

1368

1369

1370

1371

1372

1373

1374

1375

1376

1377

1378

1379

1380

1381

1382

1383

1384

1385

1386

1387

1388

1389

1390

1391

1392

1393

1394

1395

1396

1397

1398

1399

1400

1401

1402

1403

1404

1405

1406

1407

1408

1409

1410

1411

1412

1413

1414

1415

1416

1417

1418

1419

1420

1421

1422

1423

1424

1425

1426

1427

1428

1429

1430

1431

1432

1433

1434

1435

1436

1437

1438

1439

1440

1441

1442

1443

1444

1445

1446

1447

1448

1449

1450

1451

1452

1453

1454

1455

1456

1457

1458

1459

1460

1461

1462

1463

1464

1465

1466

1467

1468

1469

1470

1471

1472

1473

1474

1475

1476

1477

1478

1479

1480

1481

1482

1483

1484

1485

1486

1487

1488

1489

1490

1491

1492

1493

1494

1495

1496

1497

1498

1499

1500

1501

1502

1503

1504

1505

1506

1507

1508

1509

1510

1511

1512

1513

1514

1515

1516

1517

1518

1519

1520

1521

1522

1523

1524

1525

1526

1527

1528

1529

1530

1531

1532

1533

1534

1535

1536

1537

1538

1539

1540

1541

1542

1543

1544

1545

1546

1547

1548

1549

1550

1551

1552

1553

1554

1555

1556

1557

1558

1559

1560

1561

1562

1563

1564

1565

1566

1567

1568

1569

1570

1571

1572

1573

1574

1575

1576

1577

1578

1579

1580

1581

1582

1583

1584

1585

1586

1587

1588

1589

1590

1591

1592

1593

1594

1595

1596

1597

1598

1599

1600

1601

1602

1603

1604

1605

1606

1607

1608

1609

1610

1611

1612

1613

1614

1615

1616

1617

1618

1619

1620

1621

1622

1623

1624

1625

1626

1627

1628

1629

1630

1631

1632

1633

1634

1635

1636

1637

1638

1639

1640

1641

1642

1643

1644

1645

1646

1647

1648

1649

1650

1651

1652

1653

1654

1655

1656

1657

1658

1659

1660

1661

1662

1663

1664

1665

1666

1667

1668

1669

1670

1671

1672

1673

1674

1675

1676

16

FIG. 6




FIG. 7



INTERNATIONAL SEARCH REPORT

International application No.

PCT/US03/10481

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G07F 17/00

US CL : 700/91

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 700/91, 92, 93; 463/40, 41, 42,

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X, P	US 2002/0115488 A1 (BERRY et al) 22 August 2002, see entire document.	1-20

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

29 June 2003 (29.06.2003)

Date of mailing of the international search report

11 JUL 2003

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Facsimile No. (703)305-3230

Authorized officer

Jessica J. Harrison

Telephone No. 703-308-0858

Sheila H. Vence
Paralegal Specialist
Tech. Center 3700

INTERNATIONAL SEARCH REPORT

PCT/US03/10481

Continuation of Item 4 of the first sheet:

The title is not precise. No electronic messaging is disclosed.

NEW TITLE:

Online League and Tournament System

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.